

**HIGHLIGHTS**

Digipass 840 Comfort Voice is a user friendly solution for people with disabilities that combines OneSpan Class 1 stand-alone smart card reader functions such as e-signature with EMV-CAP (Europay-Mastercard-Visa Chip Authentication Program) compliance. Digipass 840 Comfort Voice satisfies the Disability Discrimination Act and the APACS standard.

# DIGIPASS 840 COMFORT VOICE

Our most popular Smart Card CAP Reader is voice activated for people with special needs

## Proven Solution for People with Disabilities

Digipass 840 Comfort Voice is designed to address the needs of the elderly and those with various disabilities, including visual limitations.

Digipass 840 Comfort Voice is a desktop-size reader with large keys and an oversize high contrast display to make reading and data input easy. An internal speaker and optional headphone provide the following functions:

- Voice based user interface;
- Voice based signature and one-time password;
- Acoustic feedback on PIN, reference, challenge and amount fields.

The vertical card insert feature is extremely user friendly and makes secure two factor authentication possible for everyone.

## Factory to Field

Digipass 840 Comfort Voice initializes itself and becomes unique the moment a user inserts their smart card and enters their PIN. All secrets are permanently erased when the card is removed. Digipass 840 Comfort Voice is platform-independent and only requires voice message personalization prior to customer delivery; each reader is identical. Therefore production and distribution are efficient and very cost-effective.

## EMV CAP Compliant

Cardholders simply insert their standard EMV chip card into Digipass 840 CV, and type their PIN for two-factor authentication (something they know, something they have.) Each time a user enters their PIN, a one-time password (OTP) is generated, displayed and announced.

The user can type this secure password to become authenticated over the bank's network. This dynamic password cannot be used more than once and can only be verified by the issuing bank. The verification of the OTP demonstrates the cardholder's identity and allows access to the network from any terminal, on any platform.

Digipass 840 Comfort Voice can be used in conjunction with Vasco's VACMAN controller authentication platform. For electronic payments, Digipass 840 Comfort Voice can also be integrated into the 3D-Secure architecture, allowing the cardholder to sign specific account data to complete the transaction.



The reader does not require a connection to the terminal or PC, nor any client software or drivers. Digipass 840 Comfort Voice may be deployed simultaneously with other OneSpan readers sharing the same application.

DIGIPASS 840 COMFORT VOICE FEATURES	
Digipass 840 Comfort Voice	Stand-alone PIN pad reader with a vertical card insert for individuals with special needs
Display	High contrast, extra large 2-line LCD (1 line 60x7 dot matrix line and 1 line of 7-segment characters)
Size	50.1 mm/15.5 mm x 97.2 mm x 145.5 mm
Weight	181 grams (excluding replaceable batteries)
Keypad	10 numeric and 9 function oversized (15mm) tactile keys
Battery	2 replaceable AA batteries and 1 non replaceable CR2032 back-up battery
Standards	<ul style="list-style-type: none"> <li>• Mastercard CAP (2004, 2007)</li> <li>• VISA dynamic passcode authentication version 1.1</li> <li>• German Sm@rt TAN</li> <li>• Belgian eID Card</li> <li>• Banksys Unconnected reader specification (BKS M.010 version 1.3)</li> </ul>
Customization	Digipass 840 Comfort Voice (including keyboard) color and vocal messages can be customized

COMPLIANCE		
Short Term Storage Temperature*	-10 °C to 50 °C; 90 %RH non-condensing	IEC 60068-2-78 (Damp heat) IEC 60068-2-1 (Cold)
Operating temperature	0 °C to 45 °C; 85 %RH non-condensing	IEC 60068-2-78 (Damp heat) IEC 60068-2-1 (Cold)
Vibration	10 to 75 Hz; 10 m/s <sup>2</sup>	IEC 60068-2-6
Drop	1 meter	IEC 60068-2-31
Emission		EN 55022
Immunity	<ul style="list-style-type: none"> <li>• 4 kV contact discharges</li> <li>• 8 kV air discharges</li> <li>• 3 V/m from 80 to 1000 MHz</li> </ul>	EN 61000-4-2 EN 61000-4-3
Compliance to European directives (CE marking)		2004/108/EC (EMC directives) 2002/95/EC (RoHS directive) 2002/96/EC (WEEE directive)



OneSpan enables financial institutions and other organizations to succeed by making bold advances in their digital transformation. We do this by establishing trust in people's identities, the devices they use, and the transactions that shape their lives. We believe that this is the foundation of enhanced business enablement and growth. More than 10,000 customers, including over half of the top 100 global banks, rely on OneSpan solutions to protect their most important relationships and business processes. From digital onboarding to fraud mitigation to workflow management, OneSpan's unified, open platform reduces costs, accelerates customer acquisition, and increases customer satisfaction.

#### CONTACT US

For more information:  
[info@OneSpan.com](mailto:info@OneSpan.com)  
[www.OneSpan.com](http://www.OneSpan.com)



Copyright © 2018 OneSpan North America Inc., all rights reserved. OneSpan™, Digipass® and Cronto® are registered or unregistered trademarks of OneSpan North America Inc. and/or OneSpan International GmbH in the U.S. and other countries. All other trademarks or trade names are the property of their respective owners. OneSpan reserves the right to make changes to specifications at any time and without notice. The information furnished by OneSpan in this document is believed to be accurate and reliable. However, OneSpan may not be held liable for its use, nor for infringement of patents or other rights of third parties resulting from its use. Last Update May 2018.