

HIGHLIGHTS

- FIDO U2F certified
- Intuitive user experience
- Customizable
- Portable

DIGIPASS SECURECLICK

Increase security and convenience with one click secure authentication for PCs and other mobile devices supporting BLE (Bluetooth Low Energy)

The number and complexity of passwords required of users today means shortcuts are inevitable, and password shortcuts weaken security. The FIDO Alliance (Fast IDentity Online) recognizes the need for a higher level of online user security and is driving new standards to achieve this goal. In support of this important effort, OneSpan introduces a FIDO U2F ready device that is fast, easy-to-use, portable and delivers strong two-factor authentication for PCs and mobile devices.

Digipass SecureClick is a FIDO U2F BLE (Bluetooth Low Energy) device that enables users – with the single push of a button – to securely complete access to their online applications. The Digipass® SecureClick is a BLE (Bluetooth Low Energy) token, however, it is FIDO U2F certified when used in conjunction with our Digipass Bluetooth Bridge that allows to use the USB transport channel. One simple solution means users can connect anywhere to everywhere easily, quickly and securely without the burden of having to remember multiple passwords. Digipass SecureClick is also extremely portable. The size of a small coin, it can easily be attached to any key ring or similar portable accessory.

The ultimate user experience

Digipass SecureClick is designed for a seamless and positive user experience, requiring a password and one push of a button to authenticate users to an application. After launching an application on a tablet or smartphone, the users simply enter their password and press the “GO” button on Digipass SecureClick and the authentication process is executed. No other action required.

Digipass Bluetooth Bridge

For PCs that do not support BLE, OneSpan offers our Digipass Bluetooth Bridge with USB dongle. When you insert the dongle into the USB port of a computer, (effectively pairing the Digipass SecureClick with the Digipass Bluetooth Bridge), you can use the Digipass SecureClick like a FIDO U2F USB device.

Transport channel encryption

Digipass SecureClick establishes encrypted communication between the Digipass SecureClick and the BLE device (e.g. laptop, mobile device). As a result Digipass SecureClick delivers positive, secure, and lightning fast user connectivity, combined with encrypted communication to protect even the most sensitive mobile transactions.



Easy to service power requirements

For enterprise buyers who need reliable products that reduce total cost of ownership, Digipass SecureClick is equipped with a replaceable battery and, when used to a maximum of 10 authentications a day, has a lifespan of more than two years.

Brand friendly customization

Supporting your business brand is critical, so we're able to customize your Digipass SecureClick accessory with your organization's logos and colors.

TECHNICAL SPECIFICATIONS	
FIDO	<ul style="list-style-type: none"> • FIDO U2F BLE device • Works with the Digipass Bluetooth Bridge (FIDO U2F USB)
Lifetime	• 2 years with 10 authentications per day
Battery	• Replaceable battery (CR2012)
Dimensions	<ul style="list-style-type: none"> • Diameter: 25 mm • Thickness 3.9 mm
Weight	• 7 g
Key Press Warranty	• 50,000
Supported Operating systems	• iOS, Android, Mac osX, Windows 8.1 & higher*

*Please check the availability of the FIDO U2F client on those OS

COMPLIANCE SPECIFICATIONS	
Storage temperature	<ul style="list-style-type: none"> • 10 to 50°C; 90% rH non-condensing • IEC 60068-2-1 • IEC60068-2-78
Operating temperature	<ul style="list-style-type: none"> • -10 to 45°C; 85% rH non-condensing • IEC 60068-2-1 • IEC60068-2-78
Vibration	<ul style="list-style-type: none"> • 10 to 75 Hz; 10m/s² • IEC 60068-2-6
Drop	<ul style="list-style-type: none"> • 1 meter free fall at 6 sides • IEC 60068-2-6
Radio testing	• EN 300328 V1.9.1
Emission (radiated)	<ul style="list-style-type: none"> • EN 301 489-17 V2.2.1 • EN 301 489-1 V1.8.1
Immunity (radiated and ESD)	<ul style="list-style-type: none"> • EN 301 489-17 V2.2.1 • EN 301 489-1 V1.8.1
Human exposure	• EN62479
Safety testing	• EN60950-1:2006
Radio performance testing	• FCC part 15.247
Radiated emission	• FCC part 15.109
Compliance to European directives (CE marking)	<ul style="list-style-type: none"> • 2011/65/EU (RoHSII) • 2012/19/EU (WEEE) • 1999/5/EC



OneSpan enables financial institutions and other organizations to succeed by making bold advances in their digital transformation. We do this by establishing trust in people's identities, the devices they use, and the transactions that shape their lives. We believe that this is the foundation of enhanced business enablement and growth. More than 10,000 customers, including over half of the top 100 global banks, rely on OneSpan solutions to protect their most important relationships and business processes. From digital onboarding to fraud mitigation to workflow management, OneSpan's unified, open platform reduces costs, accelerates customer acquisition, and increases customer satisfaction.

CONTACT US

For more information:
info@OneSpan.com
www.OneSpan.com



Copyright © 2018 OneSpan North America Inc., all rights reserved. OneSpan™, Digipass® and Cronto® are registered or unregistered trademarks of OneSpan North America Inc. and/or OneSpan International GmbH in the U.S. and other countries. All other trademarks or trade names are the property of their respective owners. OneSpan reserves the right to make changes to specifications at any time and without notice. The information furnished by OneSpan in this document is believed to be accurate and reliable. However, OneSpan may not be held liable for its use, nor for infringement of patents or other rights of third parties resulting from its use. **Last Update May 2018.**